

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : BHT

Manufacturer or supplier's details

Company : Level 7 Chemical
255 Sturgis Rd
Conway, AR 72034
(855) 927-1777

Emergency telephone number : Chemtrec: (800) 424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Personal care
Food additive
Antioxidant

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Combustible dust

Specific target organ toxicity : Category 3 (Respiratory system)
- single exposure

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.
May cause respiratory irritation.

Supplemental Hazard State-ments : Prevent dust accumulation.
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink.

Get medical attention if symptoms occur.
In case of contact, flush skin or eyes with plenty of lukewarm water.

Precautionary statements

: **Prevention:**
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Use only outdoors or in a well-ventilated area.

Response:
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Storage:
Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance
Substance name : Butylated Hydroxy Toluene (BHT)

Components

Chemical name	CAS-No.	Concentration (% w/w)
2,6-di-tert-butyl-p-cresol	128-37-0	>= 99.8
methanol	67-56-1	<= 0.3

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and water.
Get medical attention if symptoms occur.

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

In case of eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.
Keep eye wide open while rinsing.
Continue to rinse for at least 10 minutes.
Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth with water.
Do not induce vomiting unless directed to do by medical personnel.
Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms : May cause respiratory tract irritation with symptoms of coughing, sore throat and runny nose.

Effects : May cause respiratory irritation.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
Very toxic to aquatic life with long lasting effects.

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.

Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide

Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
No action shall be taken involving any personal risk or without suitable training.
Cool containers/tanks with water spray.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Special protective equipment for firefighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.
Keep unnecessary and unprotected personnel from entering.
Do not touch or walk through spilled material.
Avoid dust formation.
Ensure adequate ventilation.
In case of inadequate ventilation wear respiratory protection.
Use personal protective equipment.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Move containers from spill area.
Use non-sparking tools.
Use explosion-proof electrical equipment.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container.
Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).
Do not allow into the sewerage system, surface waters or groundwater or into the soil.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame).
Avoid inhalation, ingestion and contact with skin and eyes.
Use only with adequate ventilation.
Electrical equipment should be protected to the appropriate standard.
Take precautionary measures against static discharges.
Empty containers retain product residue; observe all precautions for product.
Workers should wash hands and face before eating, drinking and smoking.
Put on appropriate personal protection equipment.

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Use non-sparking tools and equipment. Consult National Fire Protection Association (NFPA) 654 Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids for details on the safe handling and equipment design.

Conditions for safe storage : Store in accordance with local regulations.
Minimize dust generation and accumulation, especially on elevated surfaces (e.g., roof beams and trusses, ventilation ducts, wall sills). A dust layer just 1/32nd of an inch(0.793 mm) deep on elevated surfaces may create a dust cloud explosion hazard.
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.
Keep away from heat and sources of ignition.
Keep in a cool place away from oxidizing agents.
Keep container closed when not in use.
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
Do not store in unlabeled containers.
Use appropriate container to avoid environmental contamination.
Empty containers retain residue and can be dangerous.
Do not reuse container.
Keep away from water or moist air.

Recommended storage temperature : < 122 °F / < 50 °C

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2,6-di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m ³	ACGIH
methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m ³	OSHA Z-1

Engineering measures : Use only in an area equipped with explosion proof exhaust ventilation.
If user operations generate dust, fumes or mist, use ventila-

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

tion to keep exposure to airborne contaminants below the exposure limit.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use explosion-proof ventilating equipment.

Personal protective equipment

- Respiratory protection : The following respirator is recommended if airborne concentrations exceed the appropriate standard/guideline. NIOSH approved, air-purifying particulate respirator with N-95 filters.
- Hand protection
- Material : Polyvinyl chloride - PVC
- Wearing time : < 60 min
- Material : Natural rubber - NR
- Wearing time : < 60 min
- Remarks : Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Safety glasses with side-shields
- Skin and body protection : Wear work clothing including long pants and long-sleeve shirts.
- Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Crystalline solid
- Colour : colourless
- Odour : odourless

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Odour Threshold : No data available

pH : No data available

Melting point/range : 157.6 °F / 69.8 °C

Boiling point/boiling range : 509 °F / 265 °C
(1,013 hPa)

Flash point : 261 °F / 127 °C
Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air.

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : 0.01 hPa (68 °F / 20 °C)

Relative density : No data available

Density : 1.03 kg/l (68 °F / 20 °C)

Bulk density : 650 kg/m³

Solubility(ies)
Water solubility : 0.76 mg/l

Solubility in other solvents : Solvent: Aliphatic hydrocarbons
Solvent: Aromatic hydrocarbons
Solvent: Acetone
Solvent: Ethanol
Solvent: ethyl acetate
Solvent: Dichloromethane.

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : > 752 °F / > 400 °C

Decomposition temperature : > 509 °F / > 265 °C

Viscosity

 Viscosity, dynamic : No data available

 Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Dust explosion class : St2

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : Dust can form an explosive mixture in air. Under normal conditions of storage and use, hazardous reactions will not occur. No hazards to be specially mentioned.

Conditions to avoid : Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. Avoid dust accumulation in enclosed space.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Inhalation
Eye contact
Skin contact
Ingestion

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2,930 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Dosage caused no mortality

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Dosage caused no mortality

Components:

2,6-di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat, male and female): > 2,930 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Dosage caused no mortality

methanol:

Acute oral toxicity : LD50 (Rat): > 2,528 mg/kg
Method: OECD Test Guideline 401
GLP: no
Remarks: Dosage caused no mortality

(Human): Assessment: The component/mixture is toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): 128.2 mg/l

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Exposure time: 4 h
Test atmosphere: vapour

(Human): Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit): 15,800 mg/kg

(Human): Assessment: The component/mixture is toxic after single contact with skin.

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No skin irritation

Components:

2,6-di-tert-butyl-p-cresol:

Species : Rabbit
Exposure time : 24 h
Remarks : Mild skin irritation
(not subject to classification)

methanol:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No eye irritation

Components:

2,6-di-tert-butyl-p-cresol:

Species : Rabbit
Exposure time : 24 h
Remarks : Mild eye irritation
(not subject to classification)

methanol:

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Exposure routes : Skin contact
Species : Human
Result : Does not cause skin sensitisation.

Components:

2,6-di-tert-butyl-p-cresol:

Exposure routes : Skin contact
Species : Human
Result : Does not cause skin sensitisation.

methanol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.
GLP : no

Germ cell mutagenicity

Not classified based on available information.

Components:

2,6-di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: rat hepatocytes
Metabolic activation: with metabolic activation
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Rat (male)
Cell type: Bone marrow
Application Route: Oral
Result: negative

Test Type: Micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal
Result: negative

methanol:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.

Test Type: HPRT test
Test system: Chinese hamster fibroblasts
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: No information available.

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative
GLP: No information available.

Carcinogenicity

Not classified based on available information.

Components:

2,6-di-tert-butyl-p-cresol:

Species : Rat, male and female
Application Route : Oral
NOAEL : 247 mg/kg bw/day
Target Organs : Liver
GLP : yes

methanol:

Species : Rat, male and female
Application Route : Inhalation

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Exposure time : 24 month(s)
Dose : 0,013 - 0,13 - 1,3 mg/l
Frequency of Treatment : 20 h daily
: >= 1.3 mg/l
Method : OECD Test Guideline 453
Result : negative
GLP : No information available.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

IARC OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

2,6-di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Fertility: NOAEL: 500 mg/kg body weight
GLP: yes

Effects on foetal development : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity Maternal: NOAEL: 100 mg/kg body weight
Developmental Toxicity: NOAEL: 100 mg/kg body weight
GLP: yes

STOT - single exposure

May cause respiratory irritation.

Components:

2,6-di-tert-butyl-p-cresol:

Assessment : May cause respiratory irritation.

methanol:

Target Organs : Central nervous system, Eyes
Assessment : Causes damage to organs.

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2,6-di-tert-butyl-p-cresol:

Species : Rat, male
NOAEL : 25 mg/kg
Application Route : Oral
GLP : yes
Target Organs : Liver
Symptoms : alteration in liver enzymes

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l
Exposure time: 96 h
Method: Regulation (EC) No. 440/2008, Annex, C.1
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 0.4 mg/l
End point: Growth rate
Exposure time: 72 h
Method: Regulation (EC) No. 440/2008, Annex, C.3
GLP: yes

NOEC (Desmodesmus subspicatus (green algae)): 0.4 mg/l
End point: Growth rate
Exposure time: 72 h
Method: Regulation (EC) No. 440/2008, Annex, C.3
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Orange-red killifish)): 0.053 mg/l
Exposure time: 42 d
Method: OECD Test Guideline 210
GLP: yes

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.023 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 202
GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Method: OECD Test Guideline 209
GLP: yes

methanol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 15,400 mg/l
Exposure time: 96 h
Analytical monitoring: yes
Method: EPA-660/3-75-009
GLP: No information available.
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Analytical monitoring: no
Method: DIN 38412
GLP: no
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): ca. 22,000 mg/l
End point: Growth rate
Exposure time: 96 h
Analytical monitoring: No information available.
Method: OECD Test Guideline 201
GLP: No information available.
Remarks: Fresh water

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Analytical monitoring: yes
Method: OECD Test Guideline 209
GLP: No information available.
Remarks: Fresh water

Persistence and degradability

Components:

2,6-di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4.5 %

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Exposure time: 28 d
Method: OECD Test Guideline 301C

methanol:

Biodegradability : aerobic
Concentration: 3 mg/l
Result: Readily biodegradable.
Biodegradation: 76 %
Exposure time: 5 d
Method: Closed Bottle test
GLP: no

Bioaccumulative potential

Components:

2,6-di-tert-butyl-p-cresol:

Bioaccumulation : Bioconcentration factor (BCF): > 2,000

Partition coefficient: n-octanol/water : log Pow: 5.1
Method: measured

methanol:

Partition coefficient: n-octanol/water : log Pow: -0.77
Method: Calculated value

Mobility in soil

Components:

2,6-di-tert-butyl-p-cresol:

Distribution among environmental compartments : Koc: 14750, log Koc: 3.9 - 4.2
Method: estimated

Other adverse effects

Components:

2,6-di-tert-butyl-p-cresol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized wherever possible.
This material and its container must be disposed of in a safe way.
When uncleaned empty containers are passed on, the recipient must be warned of any possible hazard that may be caused by residues.
Empty containers retain product residue; observe all precautions for product.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(2,6-DI-TERT-BUTYL-P-CRESOL)
Class : 9
Packing group : III
Labels : 9
:



Packing instruction (cargo aircraft) : 956 : 400.00 KG
Packing instruction (passenger aircraft) : 956 : 400.00 KG
Environmentally hazardous : yes

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN



IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(2,6-DI-TERT-BUTYL-P-CRESOL)
Class : 9
Packing group : III
Labels : 9
:



EmS Code : F-A, S-F
Marine pollutant : yes



Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(2,6-DI-TERT-BUTYL-P-CRESOL)
Class : 9
Packing group : III
Labels : 9
:



ERG Code : 171
Marine pollutant : yes



The U.S. DOT regulations in 49 CFR 172.102 permit this material to ship as an Environmentally Hazardous Substance, Class 9, using Special Provision 146.

SAFETY DATA SHEET

BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

Hazard and Handling Notes. : Environmentally hazardous substance., Keep dry., Keep separated from foodstuffs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
methanol	67-56-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust
Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

2,6-di-tert-butyl-p-cresol 128-37-0 >= 99.8

Pennsylvania Right To Know

2,6-di-tert-butyl-p-cresol 128-37-0 >= 99.8
methanol 67-56-1 <= 0.3

California Prop. 65

WARNING: This product can expose you to chemicals including methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

TSCA inventory

TSCA : This product is regulated under the United States Food and Drug Act (FDA).

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SAFETY DATA SHEET


BHT

Version 1.0 Revision Date: 09/30/2020 SDS Number: 203000002068 Date of last issue: -
Country / Language: US / EN

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
OSHA Z-1 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose);

SAFETY DATA SHEET

BHT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/30/2020	203000002068	Country / Language: US / EN

MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/30/2020

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.