

ICL SPECIALTY PRODUCTS INC CUSTOMER SERVICE CENTER 622 EMERSON RD., SUITE 500 CREVE COEUR, MO, 63141-6742

Certificate of Analysis

SAMPLE

1 of 1

hi	่อเ	Эe	a	το	:

Seller Order #

Customer Sales Order #:

Container ID

Ship Date:

Certificate Date:

ur Product:

Tetrapotassium Pyrophosphate (TKPP), Granular, Code 600, Tech Grade, 50

LB Bag

ustomer Product:

NSF® 60 - Certified to NSF/ANSI/CAN Standard 60 by NSF International Max use 17 mg/l

ROPERTY INSPECTION METHOD	SPECIFICATION	LOT/MFG.DT/BEST BEFORE DT
ppearance ssay, % (Ignited basis) on, ppm, Guaranteed oss On Ignition @ 800C, % orthophosphate, % H, 1% Solution ight Transmission 60% Soln	Pass 97.00 % Min <= 15 PPM % 2.0 % Max 10.20 - 10.70 PH 91.0 - 100.0 %	Pass 97.52 <= 15 PPM 0.13 0.1 10.53 92.3

ruaranteed analysis checked at intervals according to plant schedule. lote: Equivalent Units of Measure: mg/kg = ppm; µg/kg = ppb